

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S45	34	"327"/\$.ccls. and (voltage same cpu).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 12:37
S98	514	"327"/\$.ccls. and voltage same cpu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 12:38
S100	5	("6035407" "6601179" "6691235" "6697952" "6732266").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/17 12:48
S103	9	"714"/\$.ccls. and (voltage and processor).ab. and @pd>"20041001"	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/17 12:51
S101	3	"714"/\$.ccls. and (voltage and cpu).ab. and @pd>"20041001"	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/17 12:51
S104	28	"324"/\$.ccls. and (voltage and processor).ab. and @pd>"20041001"	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/17 12:52
S102	8	"324"/\$.ccls. and (voltage and cpu).ab. and @pd>"20041001"	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/17 12:52
S105	7	("4992970" "5184059" "5283762" "5355073" "5384692" "5421734" "5422523").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/17 13:01
S106	6	("5632039").URPN.	USPAT	OR	ON	2006/02/17 13:06
S99	1	"327"/\$.ccls. and voltage same cpu and south near bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 13:20
S107	111	voltage same (cpu processor) and south\$1bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 13:57
S109	1838	south\$1bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 13:58

EAST Search History

S108	0	south\$1bridge same voltage same error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 13:58
S111	70	south\$1bridge same voltage and (error fault fail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:04
L4	4	((("6836848") or ("6946731") or ("20050263849") or ("20030097515")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/17 15:36
S110	81	south\$1bridge same voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:42
L6	779	detect\$3 near3 voltage same (cpu processor) and bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:43
L5	8798	detect\$3 near3 voltage same (cpu processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:43
L8	2	detect\$3 near3 voltage same (cpu processor) and floating near3 error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:44
L7	2478	detect\$3 near3 voltage same (cpu processor) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:44
L10	13	"ferr#" same voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:46
L9	5	floating adj point near3 error same voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:46

EAST Search History

L11	24	("3721961" "4075693" "4281392" "4319343" "4443846" "4484273" "4674089" "4716526" "4860252" "4862355" "4899306" "4908789" "4951248" "4964074" "4975838" "5093908" "5101342" "5121486" "5138708" "5202976" "5287460" "5297272" "5325490" "Re31318").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/17 15:56
L13	1	(floating adj point adj error same voltage).clm.	US-PGPUB; USPAT	OR	ON	2006/02/17 16:09
L12	19	("5551012").URPN.	USPAT	OR	ON	2006/02/17 16:09



southbridge detect cpu voltage

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
ScholarResults 1 - 10 of 10 for **southbridge detect cpu voltage**. (0.07 seconds)**LongRun Power Management - group of 9 »**

M Fleischmann - White Paper of Transmeta Corporation, January, 2001 - ececs.uc.edu

... Sleep C3 In the Deep Sleep state: • The **southbridge** stops the ... **CPU** Pwr ... It can **detect** different operating scenarios based on runtime performance information ...[Cited by 10](#) - [View as HTML](#) - [Web Search](#)**Test procesorov a dosiek: AMD alebo Intel?**

AMD alebo Intel - pcspace.sk

... CMI8738. Podporuje ASUS iPanel. Viaka technológií ASUS COP (**CPU** Overheating Protection) chráni procesory pred prehriatím. FSB ...[View as HTML](#) - [Web Search](#)**Transmeta Crusoe**

PP Series, L Harrison - cs.uiuc.edu

... 14 Processor Block Diagram **CPU** core Integer Unit ... PCI Controller & **Southbridge** Interface Page 15. ... Except: Complete two-cycle ALU0/ALU1 ops and **detect** exceptions ...[View as HTML](#) - [Web Search](#)**3U Embedded CompactPCI® 586-based PC**

U Manual - steatite.co.uk

... **Southbridge** ... An on-board regulator is used to generate the 3.3V **voltage** for the processor and the other 3.3V devices (switched mode ... 2.3 STPC Industrial **CPU** Core ...[View as HTML](#) - [Web Search](#)**ZOOPLANKTON VISUALIZATION SYSTEM: DESIGN AND REAL-TIME LOSSLESS IMAGE COMPRESSION**

D Reddy - 2004 - etd.lsu.edu

... CLB Control Logic Block CMOS Complementary Metal Oxide Semiconductor **CPU** Central Processing ... Pixels LUT Look up tables LVDS Low **Voltage** Differential Signaling M ...[View as HTML](#) - [Web Search](#)**TRIDENT MICROSYSTEMS, INC. - group of 2 »**

X Yes - tridentmicro.com

... 1-licensed Northbridge and Ali's Mobile **Southbridge**. ... The chip is designed with external **CPU(s)** and ... progressive scan, and adaptive motion **detect** capability by ...[View as HTML](#) - [Web Search](#)**BOOK Hacking the Xbox: An Introduction to Reverse Engineering - group of 2 »**

A "bunnie" Huang - 2003 - books.google.com

... 34 Test Points 39 Xbox Architecture 40 High-Level Organization 40 FunctionalDetails 42 **CPU** 42 Northbridges andSouthbridges 45 RAM 46 ROM 47 OddsandEnds 48 ...[Cited by 9](#) - [Web Search](#) - [Library Search](#)**Survey of Low Power Embedded Microprocessors for Smart Mobile Personal Communication Devices (Smart ...**

SJ Kang, M Sly - it.korea.ac.kr

... Affects the Backend throughput Power Requirements Maximum, Typical, Standby **Voltage** Levels 5V ... tasks to run, the EPOC32 operating system halts the **CPU** clock by ...[View as HTML](#) - [Web Search](#)**AMD-768™ Peripheral Bus Controller Data Sheet - group of 9 »**